

**From:** [Ray Basso](#)  
**To:** [Cozzi, Tom](#)  
**Cc:** [MacGregor, Janine](#)  
**Bcc:** [Butler, Elizabeth](#)  
**Subject:** RE: Re: Fw: Scanned document from scans@scarincihollenbeck.com  
**Date:** Wednesday, July 11, 2012 6:54:11 AM

---

Tom, we don't know the details on much of this, it all falls under the DEP brownfields program. We just happen to find out things when Ted Schwartz showed up at the Tierra removal project trying to get Liz to agree to stuff that was happening under DEP jurisdiction at the former Sherwin Williams property. I spoke to Janine about this, you should talk to her and then call me. Thanks.

-----"Cozzi, Tom" <[Tom.Cozzi@dep.state.nj.us](mailto:Tom.Cozzi@dep.state.nj.us)> wrote: -----

To: Ray Basso/R2/USEPA/US@EPA, "MacGregor, Janine" <[Janine.MacGregor@dep.state.nj.us](mailto:Janine.MacGregor@dep.state.nj.us)>  
From: "Cozzi, Tom" <[Tom.Cozzi@dep.state.nj.us](mailto:Tom.Cozzi@dep.state.nj.us)>  
Date: 07/10/2012 04:01PM  
Subject: RE: Re: Fw: Scanned document from [scans@scarincihollenbeck.com](mailto:scans@scarincihollenbeck.com)

How will the trapped sediment be dealt with?

**From:** Ray Basso [<mailto:Basso.Ray@epamail.epa.gov>]  
**Sent:** Friday, June 29, 2012 11:38 AM  
**To:** MacGregor, Janine; Cozzi, Tom  
**Subject:** Fw: Re: Fw: Scanned document from [scans@scarincihollenbeck.com](mailto:scans@scarincihollenbeck.com)

-----Forwarded by Ray Basso/R2/USEPA/US on 06/29/2012 11:36AM -----

To: Patricia Hick/R2/USEPA/US@EPA, Ray Basso/R2/USEPA/US@EPA  
From: Elizabeth Butler/R2/USEPA/US  
Date: 06/29/2012 11:33AM  
Subject: Re: Fw: Scanned document from [scans@scarincihollenbeck.com](mailto:scans@scarincihollenbeck.com)

I think we still need to reach out to Janine/Tom to make it clear to them that whatever "principal threat waste" sediments get trapped between the old and new bulkheads will obviously no longer be able to be removed by Tierra as part of Phase 2, in addition to the whatever sediments get trapped between their new wall and the sheetpile enclosure we'll need to build for Phase 2.

[ ] Patricia Hick---06/29/2012 11:03:40 AM----- Forwarded by Patricia Hick/R2/USEPA/US on 06/29/12 11:03 AM ----- From: "Theodore A. Schwartz"

From: Patricia Hick/R2/USEPA/US  
To: Elizabeth Butler/R2/USEPA/US@EPA  
Date: 06/29/2012 11:03 AM  
Subject: Fw: Scanned document from [scans@scarincihollenbeck.com](mailto:scans@scarincihollenbeck.com)

---

----- Forwarded by Patricia Hick/R2/USEPA/US on 06/29/12 11:03 AM -----

From: "Theodore A. Schwartz" <[TSchwartz@scarincihollenbeck.com](mailto:TSchwartz@scarincihollenbeck.com)>  
To: Patricia Hick/R2/USEPA/US@EPA  
Cc: <[mbava@morriscompanies.com](mailto:mbava@morriscompanies.com)>, Ray Basso/R2/USEPA/US@EPA  
Date: 06/29/12 10:56 AM  
Subject: RE: FW: Scanned document from [scans@scarincihollenbeck.com](mailto:scans@scarincihollenbeck.com)

---

We are not removing sediments in our project -placing sheet piling next to existing bulkhead. There is no excavation work. We are driving sheet piling with on land equipment

Sent via the Samsung Galaxy S™ II Skyrocket™, an AT&T 4G LTE smartphone.

----- Original message -----

Subject: RE: FW: Scanned document from [scans@scarincihollenbeck.com](mailto:scans@scarincihollenbeck.com)  
From: Patricia Hick <[Hick.Patricia@epamail.epa.gov](mailto:Hick.Patricia@epamail.epa.gov)>  
To: "Theodore A. Schwartz" <[TSchwartz@scarincihollenbeck.com](mailto:TSchwartz@scarincihollenbeck.com)>  
CC: Mark Bava <[mbava@morriscompanies.com](mailto:mbava@morriscompanies.com)>, Ray Basso <[Basso.Ray@epamail.epa.gov](mailto:Basso.Ray@epamail.epa.gov)>

Ted:

I spoke to our technical office and it appears that the sheetpile from the Phase I removal action should be out of the River by late October/early November.

In that conversation, there was a question about the design of the potential bulkhead being constructed for your client and particularly any information about the removal and disposition of any sediments during that process. We assume that you will be having conversations with the State of New Jersey about this. Our technical office will be contacting their state counterparts about any sediment removal and disposal related to the bulkhead construction. Because the bulkhead area is within the Phase II removal area for the Superfund Site, please copy us on any correspondence relating to the sediment removal and disposal.

Please contact me if you have any questions. Thanks.

Pat

Patricia C. Hick, Assistant Regional Counsel  
U.S. Environmental Protection Agency, Region II  
Office of Regional Counsel  
290 Broadway, 17th Floor  
New York, NY 10007  
(212) 637-3137  
(212) 637-3096 (fax)  
[hick.patricia@epa.gov](mailto:hick.patricia@epa.gov)

This e-mail may contain material that is confidential, privileged and/or

attorney work product intended only for the recipient. Any disclosure, use, distribution or copying of the contents without the express permission of the sender is prohibited. If you have received this transmittal erroneously, please immediately contact the sender and delete all copies.

From: "Theodore A. Schwartz" <[TSchwartz@scarincihollenbeck.com](mailto:TSchwartz@scarincihollenbeck.com)>  
To: Patricia Hick/R2/USEPA/US@EPA  
Cc: "Mark Bava" <[mbava@morriscompanies.com](mailto:mbava@morriscompanies.com)>  
Date: 06/13/12 12:03 PM  
Subject: RE: FW: Scanned document from [scans@scarincihollenbeck.com](mailto:scans@scarincihollenbeck.com)

Thanks?do you have an idea when you expect to hear back?the only reason I ask is that we are trying to schedule out shipment of the materials and a contractor start date with the overall on going site preparatory activities

THEODORE A. SCHWARTZ | Partner  
Scarinci Holle